

# MGN 2800N Gas Burner



## MGN 2800N Gas Burner features:


- Energy saving and compatible with environmental requirements
- Quiet in operation and designed for easy maintenance
- Designed and approved in accordance with the European Standard EN 676
- Plug-in contact facilitates the installation
- Left-hand gas train as standard (right-hand optional extra)
- Hinged flange for ease of servicing
- Designed for two stage operation (modulation controller, sensor and pocket optional extra)
- Available for natural gas, LPG, town gas, biogas
- Range of gas trains to suit gas supply pressure, with valve proving fitted as standard
- All kW ratings are nett CV



For more information on all Nu-way products  
please visit [www.nu-way.co.uk](http://www.nu-way.co.uk)



Type		MGN 2800N	
Capacity		kW	850 - 2667
Motor	V/Hz	400 / 50	
	kW/A (Fuse) + Control fuse	7.5 / 3 x 25 + none	
Start/Run Current	Amps	60 / 25	
Control box		LFL1.333	
Flame monitoring		UV	
Operation mode		2 stage or modulating	
Gross weight	kg	200	
Noise emission	dBA	≤ 92	
NOx emission	mg/kWh	< 120	



Burner	A	B	C	D	E	F	G	H	J	K	L PCD	M	N BSP
MGN 2800N	254	285	865	100	295	1115	166	354	100	685	305	265	2½"

Enertech Limited, P O Box 1, Vines Lane  
Droitwich, Worcestershire, WR9 8NA

tel: +44 (0) 1905 794331 • fax: +44 (0) 1905 794017  
email: info@nu-way.co.uk • web: www.nu-way.co.uk

